



PART NUMBER SEE SHEET 2



A



B



C



Copyright FCI.

D

spec ref	-	dr	Peng-Bing Fu	2011/10/11	projection	mm	size	A3	scale	3:2	
tolerance std	ISO 406 ISO 1101	eng	Zhao Peter	2012/08/16			ecn no	-	rel level	Released	
TOLERANCES UNLESS OTHERWISE SPECIFIED		chr	Martin Li	2012/08/16							
surface	ISO 1302	appr	Collins Lu	2012/09/03	product family	PwrBlade+	rev		A		
	linear	0.X	±0.5		12HP + 48S + 8LP		dwg no 10106128-C812001	cat. no.			
		0.XX	±0.25		VERTICAL STB HEADER			Product - Customer Drw		sheet 1 of 3	
	angular	0°	±2°		www.fci.com			STATUS:Released		Printed: Sep 03, 2012	

NOTES:

- 1) "FCI", PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE.
THE P/N CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.
- 2) MATERIALS:
-HOUSING - GLASS FILLED WITH HIGH TEMP THERMOPLASTIC, UL94V-0.
-SIGNAL CONTACT - COPPER ALLOY.
-POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY.
- 3) PLATING SPECIFICATION REFER TO FCI 10116351.
- 4) DENOTES CONNECTOR KEEP OUT ZONE.
- 5) DATUM AND BASIC DIMENSIONS WERE ESTABLISHED BY CUSTOMER.
- 6) ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
- 7) 1.15 ± 0.025 MM DRILLED HOLE PLATED WITH 0.00762MM MIN Sn
OVER 0.0254-0.0762MM Cu PLATING TO ACHIEVE A 1.02 ± 0.07 MM HOLE.
- 8) PRODUCT SPECIFICATION REFER TO FCI GS-12-658.
APPLICATION SPECIFICATION REFER TO FCI GS-20-141.
PRODUCT PACKAGED IN TRAYS, REFER TO FCI GS-14-1502.

spec ref -		dr	Peng-Bing Fu	2011/10/11	projection	mm	size	A3	scale	3:2	
tolerance std ISO 406 ISO 1101		TOLERANCES UNLESS OTHERWISE SPECIFIED			eng	Zhao Peter	2012/08/16	ecn no -			
		chr	Martin Li	2012/08/16			product family		PwrBlade+	rel level	Released
		appr	Collins Lu	2012/09/03			12HP + 48S +8LP		dwg no	10106128-C812001	
surface	✓	linear	0.X	± 0.5		VERTICAL STB HEADER		Product - Customer Drw			sheet 3 of 3
			0.XX	± 0.25							
			0.XXX	± 0.10							
		angular	0°	$\pm 2^\circ$	www.fci.com	cat. no.	-				



Copyright FCI.