

Cable housing - KGS-MSTB 2,5/16 - 1783850

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://download.phoenixcontact.com>)



Cable housing, Pitch: 5 mm, Number of positions: 16, Dimension a: 80 mm, Color: green

Why buy this product

- Straight cable outlet for sequencing several cable housings
- Easier plug-in and disconnection processes
- Strain relief for the cables provided by cable binder or a clamp
- For MSTB, IC, and GMSTB plugs with and without flange, and pitch of 5.0 and 5.08 mm
- Suitable for cables with a diameter of 4 to 13.5 mm
- Full latching of both half shells of the cable housing



Key commercial data

| | |
|------------------------|---|
| Packing unit | 1 |
| Minimum order quantity | 10 |
| Catalog page | Page 321 (CC-2011) |
| GTIN |  4 017918 042035 |
| Custom tariff number | 85472000 |
| Country of origin | POLAND |

Technical data

Dimensions / positions

| | |
|---------------------|-------|
| Pitch | 0 mm |
| Dimension a | 80 mm |
| Number of positions | 16 |

Technical data

| | |
|---|--------------|
| Range of articles | KGS-MSTB 2,5 |
| Insulating material group | I |
| Insulating material | ABS |
| Inflammability class according to UL 94 | HB |

Cable housing - KGS-MSTB 2,5/16 - 1783850

Classifications

ETIM

| | |
|----------|----------|
| ETIM 3.0 | EC001121 |
| ETIM 4.0 | EC000437 |
| ETIM 5.0 | EC002643 |

UNSPSC

| | |
|---------------|----------|
| UNSPSC 11 | 39121409 |
| UNSPSC 12.01 | 39121409 |
| UNSPSC 13.2 | 39121409 |
| UNSPSC 6.01 | 30211810 |
| UNSPSC 7.0901 | 39121409 |

eCl@ss

| | |
|------------|----------|
| eCl@ss 4.0 | 272607xx |
| eCl@ss 4.1 | 27260701 |
| eCl@ss 5.0 | 27260701 |
| eCl@ss 5.1 | 27260701 |
| eCl@ss 6.0 | 27260704 |
| eCl@ss 7.0 | 27440402 |

Accessories

Accessories

Cable/conductor


Accessories - KD-KGS-MSTB - 1804658



Molded cable strain relief, suitable for KGS-... cable housings, prevents the cable from being bent

Marking

Cable housing - KGS-MSTB 2,5/ DST - 1784914



Transparent label carrier, can be marked with marker strips SBS 2.5/7.5

Cable housing - KGS-MSTB 2,5/16 - 1783850

Accessories


Marking card for terminal marking - SBS 2,5/7,5 - 1007604



Marking card for terminal marking, Card, white, Unlabeled, Can be labeled with: Plotter, Perforated, Mounting type: Snap into tall marker groove, Snap into flat marker groove, For terminal block width: 2.5 mm, Lettering field: 15 x 7.5 mm

Drawings

Dimensioned drawing



© Phoenix Contact 2012 - all rights reserved
<http://www.phoenixcontact.com>